

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	265	(713/165).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:12
L2	63	(713/165).ccls. and (access with (resource or resources))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:59
L3	44	(713/164).ccls. and (access with (resource or resources))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:12
L4	275	(707/9).ccls. and (access with (resource or resources))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:12
L5	44	(713/166).ccls. and (access with (resource or resources))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:00
L6	61	(713/167).ccls. and (access with (resource or resources))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:01
L7	34	(713/167).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:01
L8	109	(707/9).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:12
L9	137	(709/229).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:02
L10	14	(713/164).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:02

L11	34	(713/167).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:02
L12	17	(713/165).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:03
L13	109	(707/9).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:03
L14	13	(707/9).ccls. and (access with control with list) and (authoriz\$ with (policy or policies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:07
L15	16	(709/229).ccls. and (access with control with list) and (authoriz\$ with (policy or policies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:11
L16	32	("709"/\$).ccls. and (access with control with list) and (authoriz\$ with (policy or policies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:11
L17	66	("713"/\$).ccls. and (access with control with list) and (authoriz\$ with (policy or policies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:12
L18	25	("707"/\$).ccls. and (access with control with list) and (authoriz\$ with (policy or policies))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 17:12

L31	2	(authorization with policies) and (access with request) and (evaluat\$ with first with access with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:30
L32	5	(713/162).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:32
L33	14	(713/164).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:48
L34	17	(713/165).ccls. and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:48
L35	8	(713/165).ccls. and (access with control with list) and resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:49
L36	2	(713/165).ccls. and (access with control with list) and resource and ((first and second) with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:50
L37	3	(713/165).ccls. and (access with control with list) and resource and ((first) with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:54
L38	12	(713/167).ccls. and (access with control with list) and resource and ((first) with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:59
L39	28	(707/9).ccls. and (access with control with list) and resource and ((first) with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:11
L40	1054	(707/9).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:11

L41	0	(707/9).cccls. and ((maximum or minimum or optimal) with (allowed or allowable) with access with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:15
L42	107	((maximum or minimum or optimal) with (allowed or allowable) with access with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:15
L43	9	((maximum or minimum or optimal) with (allowed or allowable) with access with data) and (access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:31
L44	0	(grag near2 PRAERIT) AND (ACCESS WITH CONTROL WITH LIST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:32
L45	4	(REICHEL near2 ROBERT) AND (ACCESS WITH CONTROL WITH LIST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:39
L46	15	(WARD near2 RICHARD) AND (ACCESS WITH CONTROL WITH LIST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:48
L47	2	(DUBHASHI near2 Kedarnath) AND (ACCESS WITH CONTROL WITH LIST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:46
L48	2	(hamblin near2 jeffrey) AND (ACCESS WITH CONTROL WITH LIST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:47
L49	2	(hopkins near2 anne) AND (ACCESS WITH CONTROL WITH LIST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:47
L50	7	(WARD near2 RICHARD) AND (ACCESS WITH CONTROL WITH LIST) and maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:48

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	342	(access near1 policy) and (maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:20
L2	68	(access near1 policy) and (data with structure) and IBM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:28
L3	81652	(MAXIMUM WITH ALLOWED ACCESS) AND (DATA WITH STRUCTURE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:28
L4	176	(MAXIMUM WITH ALLOWED WITH ACCESS) AND (DATA WITH STRUCTURE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:29
L5	26	(MAXIMUM WITH ALLOWED WITH ACCESS) AND (DATA WITH STRUCTURE) AND ibm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:31
L6	1	(determ\$ near2 maximum near2 allowed near2 access) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:33
L7	1	(determ\$ near2 maximum near2 allowed near2 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:33
L8	51	(determ\$ with maximum with allowed with access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:33
L9	25	(determ\$ with maximum with allowed with access) and resources	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:36
L10	160	(maximum with allowed with access) and resources	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:36

L11	58	(maximum with allowed with access) and resources and (first with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:36
L12	30	(maximum with allowed with access) and resources and (first with request) and (second with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:43
L13	202	(713/162).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:15
L14	1465	(713/201).cccls. and (access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:16
L15	189	(713/201).cccls. and (access near1 control near1 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:16
L16	92	(713/201).cccls. and (access near1 control near1 list) and (performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:29
L17	4	("713"/\$).cccls. and (enforc\$ with dynamic with access with policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:31
L18	9	(enforc\$ with dynamic with access with policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:35
L19	0	(optimal with static with allowed with access) and (access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:36
L20	0	(optimal with allowed with access) and (access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:36

L21	269	(maximum with allowed with access) and (access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:37
L22	153	(maximum with allowed with access) and (access with control) and (resource or resources)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:37
L23	106	(maximum with allowed with access) and (access with control) and (resource or resources) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:37
L24	70	(maximum with allowed with access) and (access with control) and (resource or resources) and request and storing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:09
L25	0	(common near1 class near1 access near1 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:09
L26	0	(common near2 class near2 access near2 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:10
L27	8	(common with class with access with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:17
L28	21	(discretionary with access with control with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:26
L29	1	(authorization with policies) and (identical with access with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:27
L30	280	(authorization with policies) and (access with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:27

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	342	(access near1 policy) and (maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:20
L2	68	(access near1 policy) and (data with structure) and IBM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:28
L3	81652	(MAXIMUM WITH ALLOWED ACCESS) AND (DATA WITH STRUCTURE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:28
L4	176	(MAXIMUM WITH ALLOWED WITH ACCESS) AND (DATA WITH STRUCTURE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:29
L5	26	(MAXIMUM WITH ALLOWED WITH ACCESS) AND (DATA WITH STRUCTURE) AND ibm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:31
L6	1	(determ\$ near2 maximum near2 allowed near2 access) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:33
L7	1	(determ\$ near2 maximum near2 allowed near2 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:33
L8	51	(determ\$ with maximum with allowed with access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:33
L9	25	(determ\$ with maximum with allowed with access) and resources	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:36
L10	160	(maximum with allowed with access) and resources	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:36



L11	58	(maximum with allowed with access) and resources and (first with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:36
L12	30	(maximum with allowed with access) and resources and (first with request) and (second with request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 12:43
L13	202	(713/162).cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:15
L14	1465	(713/201).cccls. and (access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:16
L15	189	(713/201).cccls. and (access near1 control near1 list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:16
L16	92	(713/201).cccls. and (access near1 control near1 list) and (performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:29
L17	4	("713"/\$).cccls. and (enforc\$ with dynamic with access with policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:31
L18	9	(enforc\$ with dynamic with access with policy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:35
L19	0	(optimal with static with allowed with access) and (access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:36
L20	0	(optimal with allowed with access) and (access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:36

L21	269	(maximum with allowed with access) and (access with control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:37
L22	153	(maximum with allowed with access) and (access with control) and (resource or resources)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:37
L23	106	(maximum with allowed with access) and (access with control) and (resource or resources) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:37
L24	70	(maximum with allowed with access) and (access with control) and (resource or resources) and request and storing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 13:38